(19) World Intellectual Property Organization International Bureau



- 10011 101010 101010 10101 10101 10101 10101 10101 10101 10101 10101 10101 10101 10101 10101 10101 10101 1010

(43) International Publication Date 18 July 2002 (18.07.2002)

PCT

(10) International Publication Number WO 02/054872 A1

- (51) International Patent Classification⁷: A01N 59/24, 59/12, A61L 2/18, A61K 33/40, 33/18 // (A01N 59/24, 59:12)
- (21) International Application Number: PCT/GB02/00025
- (22) International Filing Date: 4 January 2002 (04.01.2002)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

0100643.6

10 January 2001 (10.01.2001) GB

- (71) Applicant (for all designated States except US): BASF AKTIENGESELLSCHAFT [DE/DE]; Ludwigshafen, D-67056 Germany (DE).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): GUTHRIE, Walter, Graham [GB/GB]; 7 Rope Walk, East Leake, Loughborough, Leicestershire LE12 6NR (GB). QURESH, Mohammed, Shoaib [GB/GB]; 4 Maple Close, Bingham, Nottinghamshire NG13 8GY (GB). STANIFORTH, Lawrence, Alan [GB/GB]; 14 Lichfield Road, Sneinton, Nottinghamshire NG2 4GG (GB). HODGKINSON, Darren, Michael [GB/GB]; 41 Bentinck Street, Hucknall, Nottinghamshire NG15 7GH (GB). ASHWORTH,

David, Wilson [GB/GB]; 5 Morley's Close, Lowdham, Nottinghamshire NG14 7HN (GB).

- (74) Agents: LYONS, June, M. et al.; Mewburn Ellis, York House, 23 Kingsway, London, Greater London WC2B 6HP (GB).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX; MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Liquid Antimicrobial Compositions

This invention relates to an antimicrobial composition comprising iodide and thiocyanate anions.

5

10

20

25

30

Particular compositions of this type are disclosed in WO-A-91/11105. These compositions comprise

- (1) iodide and thiocyanate anions in a weight:weight (I-:SCN-) ratio of 0.1:1 to 50:1 and in a combined anion weight concentration of at least 5mg/kg;
- (2) D-glucose in a weight concentration of at least0.2g/kg;
 - (3) glucose oxidase as an oxidoreductase enzyme; and
 - (4) optionally, a peroxidase, especially
- 15 lactoperoxidase.

Preferred such compositions of WO-A-91/11105 are preservative compositions in a solid (dry powder), or liquid two-pack, form in which one pack contains the D-glucose and the other the glucose oxidase. The contents of the two packs are mixed and immediately used.

On the other hand WO-A-95/26137 describes antimicrobial compositions containing the same components as those of WO-A-91/11105 and preferably in the same proportions. However, WO-A-95/26137 does not recommend the immediate use of components mixed together; rather, it teaches the provision of an incubation period of from 12 - 48 hours before use. From this, it is clear that in order to achieve an antimicrobial effect using such compositions, it is necessary to allow the components to react with one

2

another to form a reaction product which then has the desired rapid antimicrobial activity.

As an alternative to compositions containing iodide and thiocyanate anions, antimicrobial compositions are known which are based on periodic acid, which is a known oxidising agent and electron acceptor. For example, DE-A-4301277 describes the use of periodic and/or orthoperiodic acid for the sterilisation of containers for storage and transportation of milk by treating the internal surfaces of the container at room temperature for 2 - 20 seconds with an aqueous solution of 0.1 to 5 wt% of periodic or orthoperiodic acid.

- 15 EP-A-0726357 describes a process for inhibiting the production and accumulation of volatile fatty acids by hydrolytic fermentative bacteria in an anionic pulp and paper processing stream in which the presence of hydrogen is monitored and at least one of a biocide and an electron acceptor is added. The use of sodium (para) periodate is recommended for the case where the presence of an electron acceptor and some inhibition of the microorganisms is required.
- We have now found surprisingly that if, in an antimicrobial composition containing iodide and thiocyanate ions, D-glucose and glucose oxidase (such as a composition described in WO-A-91/11105 or WO-A-95/26137), the D-glucose and glucose oxidase in combination are replaced solely by periodic acid or an alkali metal salt thereof, an efficient liquid antimicrobial composition is obtained, which is capable

5

of having a rapid killing effect upon the microorganisms which it is used to treat.

Thus, according to one aspect, the invention provides a liquid antimicrobial composition comprising

- (1) a mixture of iodide anions and thiocyanate anions;
- (2) periodic acid or an alkali metal salt thereof; and
- 10 (3) optionally, a peroxidase.

Periodic acid [CAS RN 10450-60-9], sometimes referred to an orthoperiodic acid, has the formula

15 Preferably, the periodic acid or salt thereof is present in the composition in an amount of from 25 to 500 ppm, more preferably from 200 to 500 ppm, by weight of the total weight of the composition.

Thus, even a composition containing as low an amount of periodic acid as 25 - 50 ppm can kill bacteria such as E.coli but for a broad spectrum of activity, the minimum amount should be about 100 ppm. Moreover, for a stable shelf life, at least 200 ppm is preferred. The preferred maximum amount is about 500 ppm.

Such compositions react considerably faster than the composition disclosed in WO-A-91/11105 and WO-A-95/26137

4

so that, instead of the 4-48 hours recommended for optimum potency, compositions embodying the invention may achieve a rapid kill of microorganisms immediately after mixing.

5

10

15

20

25

In contrast to the two-pack forms disclosed in WO-A-91/11105 and WO-A-95/26137 for use as a preservative, a liquid composition embodying the invention can be used as a disinfectant, in the form of a single, ready to use, product.

The spectrum of antimicrobial activity is also somewhat different from that of the abovementioned known compositions. In particular, compositions embodying the invention are particularly effective in combatting viruses and spores, e.g. bacillus spores.

The precise role played by the periodic acid in improving the antimicrobial efficiency of the iodide/thiocyanate anion system is not fully understood, although the mechanism seems to involve oxidation.

The pH of the composition may be from, say, 1 to 8 but is preferably less than 4.5 and, especially at low pH, the composition may contain free periodic acid. However, the composition may alternatively or additionally contain an alkali metal, especially the sodium, salt thereof.

As indicated above, the composition may additionally

30 contain a peroxidase, especially lactoperoxidase; the
presence of a peroxidase is surprisingly found to improve
the shelf life of the composition. Thus, although this

might have been expected for an organic oxidation/reduction system as in WO-A-91/11105, it is surprising that such an effect is achievable with an inorganic system utilizing periodic acid.

5

Preferably the peroxidase is present in the composition in an amount of at least 10 U/kg.

In a composition embodying the invention, the

weight:weight ratio of iodide:thiocyanate anions is

preferably from 0.1:1 to 50:1, more preferably from 0.2:1

to 20:1 inclusive.

The iodide and thiocyanate anions are preferably present
in the composition in a total amount of at least 5 mg/kg,
based on the total weight of the composition. The iodide
anions are preferably present in the composition at a
weight concentration of at least 5 mg/kg, while the
thiocyanate ions are preferably present at a weight
concentration of at least 2 mg/kg, based on the total
weight of the composition.

A composition embodying the invention may contain additionally a suitable carrier. Preferably, the carrier is water and the composition is an aqueous solution. However, the carrier may comprise water and, additionally, a surfactant or emulsifier, whereby the composition is an oil in water emulsifier or a surfactant based solution.

30

According to other aspects, the invention provides the use of a composition as defined above as a microbicide or

6

as a disinfectant respectively and especially the use of such a composition for suppressing or killing viruses or spores, e.g. bacillus spores.

- 5 In addition to the use of the composition as a microbicide or disinfectant, an anti-microbial composition embodying the invention may provide the active component in a wide variety of products which require potent antibacterial, anti-mould and/or anti-yeast activities. Examples of such products include:
 - a) deodorants e.g. for topical administration in the form of lotions;
- b) antibacterial skin washes e.g. in the forms of lotions;
 - c) anti-acne preparations e.g. in the form of lotions or creams;

20

30

- d) anti-athletes foot preparations e.g. in the form of lotions;
- e) anti-dandruff preparations e.g. in the form of
 25 shampoos or lotions;
 - f) dental preparations, e.g. mouth washes suitable for general oral hygiene and, in particular, having antiplaque properties, and dentrifices such as toothpastes, chewing gums and lozenges;

- g) impregnated materials e.g. wound dressings, sutures and dental floss;
- h) pharmaceuticals e.g. wound irrigants and burn
 treatments, anti-diarrhoeal agents and medicaments suitable for the treatment of infections such as Candida and Tinea infections;
- i) opthalmic preparations e.g. eye washes and/or10 sterilising contact lenses; and
 - j) sterilants e.g. for baby bottles and surgical or dental instruments.
- According to yet another aspect, the invention provides a method of killing or suppressing viruses or spores comprising contacting them within a composition as defined above.
- 20 Embodiments of the invention will now be described in more detail with reference to the following Examples.

Example

- 25 A composition contains
 - 1. NaSCN 4.2 mg
 - 2. KI 7.3 mg
 - 3. Lactoperoxidase 70 international units
- 30 4. Periodic acid 200 mg
 - 5. Water up to 100 ml.

WO 02/054872

8

Components 1 - 4 were added to 75 mls of distilled water and stirred until dissolved. The solution was then made up to 100 mls with distilled water.

PCT/GB02/00025

5 The above solution was then immediately challenged with a 1×10^6 cfu/ml inoculum of the following organisms.

Ps.aeruginosa NCIB 8626

S.aureus NCIB 9518

10 E.coli NCIB 8545

C.albicans ATCC 1023

A. niger ATCC 16404

Total kill of each of the above organisms was achieved in less than 5 mins.

Excellent anti-viral activity was also demonstrated against Echovirus 11 and Herpes simplex virus type 1 (HSV-1).

20

Excellent sporicidal activity was also demonstrated against B.cereus NCTC 2599 and B.subtilis NCTC 10073.

The solution was still demonstrating the above activity after six months storage at room temperature.

Claims

5

- 1. A liquid antimicrobial composition comprising:
 - (1) a mixture of iodide anions and thiocyanate anions;
 - (2) periodic acid or an alkali metal salt thereof; and
 - (3) optionally, a peroxidase.
- 2. A composition according to claim 1, wherein the periodic acid or salt thereof is present in the composition in an amount of from 25 to 500 ppm by weight of the total weight of the composition.
- 3. A composition according to claim 2, wherein the periodic acid or salt thereof is present in an amount of from 200 to 500 ppm by weight of the total weight of the composition.
- 20 4. A composition according to any preceding claim, wherein the weight: weight ratio of iodide: thiocyanate anions is from 0.1:1 to 50:1 inclusive.
- 5. A composition according to claim 4, wherein the weight:weight ratio of iodide:thiocyanate anions is from 0.2:1 to 20:1 inclusive.
- A composition according to any preceding claim, wherein the iodide and thiocyanate anions are present in the composition in a total weight of at least 5 mg/kg, based on the total weight of the composition.

WO 02/054872

15

PCT/GB02/00025

7. A composition according to any preceding claim, wherein the iodide anions are present in the composition to a weight concentration of at least 5 mg/kg and the thiocyanate ions to a weight concentration of at least 2 mg/kg, based on the total weight of the composition.

10

- 8. A composition according to any preceding claim, which contains a peroxidase.
- 9. A composition according to claim 8, wherein the peroxidase is lactoperoxidase.
 - 10. A composition according to claim 8 or claim 9, wherein the peroxidase is present in the composition in an amount of at least 10 U/kg.
 - 11. A composition according to any preceding claim which additionally contains a suitable carrier.
- 20 12. A composition according to claim 11, wherein the carrier is water and the composition is an aqueous solution.
- 13. A composition according to claim 12, wherein the 25 carrier additionally comprises a surfactant or emulsifier and the composition is an oil in water emulsifier or a surfactant based solution.
- 14. Use of a composition according to any preceding30 claim as a microbicide.

11

- 15. Use of a composition according to any one of claims 1 to 13 as a disinfectant.
- 16. Use of a composition according to any one of claim 1
 5 to 14 for suppressing or killing viruses or spores.

10

17. A method of killing or suppressing viruses or spores comprising contacting them with a composition according to any one of claims 1 to 13.

INTERNATIONAL SEARCH REPORT

Inte anal Application No PCT/GB 02/00025

										
A. CLASSI IPC 7	FIGATION OF SUBJECT MATTER A01N59/24 A01N59/12 A61L2/18 //(A01N59/24,59:12)	B A61K33/40	A61K33/18							
According to International Patent Classification (IPC) or to both national classification and IPC										
B. FIELDS SEARCHED										
IPC 7	ocumentation searched (classification system followed by classification A01N A61L A61K	ion symbols)								
Documenta	tion searched other than minimum documentation to the extent that s	such documents are included in the	ne fields searched							
Electronic d	ata base consulted during the International search (name of data ba	se and, where practical, search to	erms used)							
EPO-In	ternal									
·										
С. РОСИИ	ENTS CONSIDERED TO BE RELEVANT									
Category °	Citation of document, with indication, where appropriate, of the rel	levant passages	Relevant to claim No.							
A	WO 95 26137 A (BOOTS CO PLC ;ASHUDAVID WILSON (GB); GUTHRIE WALTER (G) 5 October 1995 (1995-10-05) cited in the application		1-17							
	page 1, line 6-21 page 4, line 8 -page 5, line 10									
А	WO 91 11105 A (BOOTS CO PLC) 8 August 1991 (1991-08-08) cited in the application		1–17							
	page 1, line 10 -page 2, line 24 page 5, line 31 -page 6, line 27 page 6, line 28 -page 7, line 20	·								
,A	DE 43 01 277 A (STUBINITZKY HEINZ 14 July 1994 (1994-07-14) cited in the application	Z GUENTER)	1-17							
×-	column 1, line 50-55; claims 1,5	· · · · · · · · · · · · · · · · · · ·	÷							
Furt	ther documents are listed in the continuation of box C.	X Patent family members	are listed in annex.							
Special ca	itegories of cited documents :									
"A" docume	ent defining the general state of the art which is not lered to be of particular relevance	cited to understand the prin- invention	onflict with the application but ciple or theory underlying the							
L document which may throw doubts on priority claim(s) or		"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone								
which citation "O" docum	is cited to establish the publication date of another n or other special reason (as specified) ent referring to an oral disclosure, use, exhibition or	"Y" document of particular releva- cannot be considered to invidocument is combined with	ince; the claimed invention olve an inventive step when the one or more other such docu—							
"P" docume	means ent published prior to the international filing date but han the priority date claimed	ments, such combination be in the art. "&" document member of the sar	eing obvious to a person skilled The patent family							
Date of the	actual completion of the international search	Date of mailing of the Interne	ational search report							
2	2 March 2002.	02/04/2002	•							
Name and r	mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2	Authorized officer								
NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016		Klaver, J								

INTERNATIONAL SEARCH REPORT

Information on patent family members

Into post Application No PCT/GB 02/00025

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
WO 9526137	A	05-10-1995	AU	697046 B2	24-09-1998
			AU	2110395 A	17-10-1995
			CA	2186531 A1	05-10-1995
			WO	9526137 A1	05-10-1995
			EP	0752815 A1	15-01-1997
•			IL	113070 A	28-10-1999
			NZ	283139 A	24-09-1998
			ZA	9502363 A	26-09-1995
WO 9111105	Α	08-08-1991	CA	2073768 A1	31-07-1992
		•	AT	110520 T	15-09-1994
			AU	642467 B2	21-10-1993
			UA	7210191 A	21-08-1991
			BG	96716 A	30-06-1994
			DE	69103745 D1	06-10-1994
			WO	9111105 A1	08-08-1991
			ΕP	0514417 A1	25-11-1992
			ES	2059117 T3	01-11-1994
			IL.	971 1 2 A	07-10-1994
			JP	2873084 B2	24-03-1999
			JP	5504567 T	15-07-1993
			BG	61246 B1	30-04-1997
			BR	9105930 A	10-11-1992
			DK	514417 T3	03-10-1994
			FI	923252 A	15-07-1992
			ΙE	910157 A1	14-08-1991
			NO	300352 B1	20-05-1997
			NZ	236990 A	25-02-1993
			US	5607681 A	04-03-1997
			ZA	9100763 A	26-02-1992
DE 4301277	A	14-07-1994	DE	4301277 A1	14-07-1994